
Electric window shutters, motor Aluminium shutter, window shutter



style





Triangle

Color Sample

芯板窗 Solid Panel

法式门

Franch door




Sample box style and details





Supporting settings





Packaging display



Product details

Material: UPVC Foam, Paulownia, Basswood and Aluminium

Louver/Blade Width:2-1/2"(64mm), 3.0"(76mm), 3-1/2"(89mm), 4-1/2"(114mm)

Louver/Blade Thickness:0.4374"(11mm), 0.4598"(12mm)

Tolerance Width: +/-0.6mm,Tickness: +/-0.3mm

Frame : L frame, F frame, Z frame, D frame

Surface Processing: Water base painting for UPVC; Primer coated+color painted for wooden

Color: White, Painted colour, Stain color, Brushed effected color and Cuatomized

Design: Hinged, Bi-fold, Sliding, Fixed, ect

Shutter Profiles : Louvers(reinforced louver), Rail, Stiles(reinforced), Frames, Hole Strip, Tilt rod

Accessories : Shutter pins, Screws, Hinges, Magnets, Hoffman key, End cap, Aluminium tube, ect

Application : Bathroom, Bedroom, Kitchen, Laundry, Cafe, Commecial shop, ect

Package : PE foam+ Foam brick+ Carton

Lead Tiem : 2 weeks for white /painted color and standard shape shutter; 3 weeks for stain color or shapes shutter

Transportation: By sea/ air

Benifits of PVC Shutters :Non-toxic, Lead free, Waterproof, Fire-retandard, Anti-UV, Eco-firendly, Recycalble, Won't wrap, chip or crack, Look like wood