

style




分层窗
Tier on Tier




常规窗
Full Hight



咖啡窗
Cafe



异形窗
Shaped



滑道窗
Track




辐射叶片
Radiation blade




海湾窗
Bay window



圆形磁铁固定窗
Magnet fixation



法式门
Franch door



芯板窗
Solid Panel



三角形
Triangle

Color Sample

● 款式 1—橄榄形色卡 Style 1 —elliptical



● 款式 2—百叶片色卡 Style 2 —Slats



Sample box style and details

款式 1—皮质箱
Style 1 —Leather box



款式 2—尼龙包
Style 2 —Nylon bag



款式 3—PV 箱
Style 3 —PV box



款式 1—皮质箱
Style 1—Leather box



款式 2—尼龙包
Style 2—Nylon bag



款式 3—PV 箱
Style 3—PV box



Supporting settings



四边展架
4 side display



使用场景
Usage scenario



伸缩杆
4 side display



使用场景
Usage scenario



蜂巢帘
Honeycomb Blinds



使用场景
Usage scenario



鸵鸟毛掸子
Ostrich feather duster



使用场景
Usage scenario

Packaging display

| | | |
|---|---|---|
|  |  |  |
| <p>外箱效果 Outview</p> | <p>唛头和警告贴 Marks /warning labels</p> | <p>五金盒指示贴 Hardware box instruction labels</p> |
|  |  |  |
| <p>气柱包装 Air bag packaging</p> | <p>窗扇边框分包 Pannel & Frame Classified pack</p> | <p>包装耗材 Packaging consumables</p> |
|  |  |  |
| <p>空运蜂窝纸箱展示 Air freight Honeycomb carton</p> | <p>散货木箱展示 LCL-Wooden box</p> | <p>海运集装箱展示 Shipping container view</p> |

Product details

Material: UPVC Foam, Paulownia, Basswood and Aluminium

Louver/Blade Width:2-1/2"(64mm), 3.0"(76mm), 3-1/2"(89mm), 4-1/2"(114mm)

Louver/Blade Thickness:0.4374"(11mm), 0.4598"(12mm)

Tolerance Width: +/-0.6mm,Thickness: +/-0.3mm

Frame : L frame, F frame, Z frame, D frame

Surface Processing: Water base painting for UPVC; Primer coated+color painted for wooden

Color: White, Painted colour, Stain color, Brushed effected color and Cuatomized

Design: Hinged, Bi-fold, Sliding, Fixed, ect

Shutter Profiles : Louvers(reinforced louver), Rail, Stiles(reinforced), Frames, Hole Strip, Tilt rod

Accessories : Shutter pins, Screws, Hinges, Magnets, Hoffman key, End cap, Aluminium tube, ect

Application : Bathroom, Bedroom, Kitchen, Laundry, Cafe, Commecial shop, ect

Package : PE foam+ Foam brick+ Carton

Lead Tiem : 2 weeks for white /painted color and standard shape shutter; 3 weeks for stain color or shapes shutter

Transportation: By sea/ air

Benifits of PVC Shutters :Non-toxic, Lead free, Waterproof, Fire-retandard, Anti-UV, Eco-firendly, Recycalble, Won't wrap, chip or crack, Look like wood