

▮ 材料清單

1. 材料: PVC
2. 50 : 厚度 63 mm 114 吋 89 / 吋 76 / 吋  
厚度 .3: L- 厚度 63 mm 114 吋 89 / 吋 76 / 吋  
厚度 .4 Rebeat 厚度 63 mm 114 吋 89 / 吋 76 / 吋  
厚度 .5 3810 : 厚度 63 mm (5ft)
6. 厚度 63 mm 114 吋 89 / 吋 76 / 吋  
厚度 .7  
厚度 .8  
厚度 .9

材料清單: 厚度 63 mm 114 吋 89 / 吋 76 / 吋  
厚度 .3: L- 厚度 63 mm 114 吋 89 / 吋 76 / 吋  
厚度 .4 Rebeat 厚度 63 mm 114 吋 89 / 吋 76 / 吋  
厚度 .5 3810 : 厚度 63 mm (5ft)

▮ 材料清單: 厚度 63 mm 114 吋 89 / 吋 76 / 吋









|| 0000000 \$ xmlesc

000000 00000 000000.0





□□□□□□ □□ □□□□□□ □□□□□□ □ □□□□□□ □□□□□□.□



| □□□□ □□□□□□ □□□□ □□□□

<p>A. ICL □ □□□□□ □ □□□□□□□ □□□□ □□ □□□□□□ □□□□□□</p> <p>□□□□ □□□□</p>	<p>□□□□ □□□□</p>
<p>□□□□ 3 □□□□ □□□□ :□□□□□□□□</p>	

□□□□□□□□□□

**：质量管理体系**

本公司按照 ISO9001 质量管理体系标准，建立了完善的质量管理体系，并通过了 ISO9001 质量管理体系认证。本公司一贯坚持“质量第一”的方针，不断提高产品质量，满足客户的需求。

**：环境管理体系**

本公司按照 ISO14001 环境管理体系标准，建立了完善的环境管理体系，并通过了 ISO14001 环境管理体系认证。本公司一贯坚持“绿色环保”的方针，不断提高环保意识，减少对环境的影响。

**：安全生产体系**

本公司按照 GB/T 28001 安全生产管理体系标准，建立了完善的安全生产管理体系，并通过了 GB/T 28001 安全生产管理体系认证。本公司一贯坚持“安全第一”的方针，不断提高安全生产水平，保障员工的生命财产安全。



## Heze Huasheng Wooden Co., Ltd.



### COMPANY PROFILE

Huasheng wooden Co., Ltd was established in 1996 in Zhuangzhai Town Heze City Shandong province China.

In the year of 2014, Heze Enda Plastic Industry co., Ltd have been established as our brother company. In the near future, we will keep working on develop more window covering program.

Now we are mainly supply for Paulownia shutter and blinds in the past. But to meet customer's different needs, We started to supply customer Basswood shutter, PVC shutter, Aluminium shutter and components.



## CERTIFICATION





## OUR FACTORY



## OUR EXHIBITION







# PACKING



## Heze Huasheng Wooden Co., Ltd.

 86-530-6219566

 86-530-6219565

ADD : NO.8 Industry Zone Zhuangzhai

XXXXXXXXXX XXXXXXXXXXXX

**1.** XXX XXXXX 為 **xmlesc** XXXXXXXX XXXXXXXX XXXXXXXX .XXXXXXXX

XXXXXXXX Paulownia XXXX 為 XXXX XXXXXXX XXXXX 為 XXXXXXX XXXXXXXX 為 XXXXXXX XXXXXXXX XXXX 為 XXXXXXX XXXXXXX XXXXXXX Paulownia XXX  
XXXXXXXX XXX XXXXXXX XXXX 為 XXXXXXX XXXXXXX XXXXXXX XXXXXXX FSC .XXXXXXXXXX

XXXX .XXXXXXXX .**2** \$ **xmlesc**

XXXXXXXX XXXXXXX XXXX 為 XXXXXXX XXX XXXX 為 XXXXXXX XXX XXXX 10000 為 XXXX 為 XXX XXXXXXX XXX XXXX XXX  
.XXXXXXXXXXXX XXXXXXXX XXXXX

.XXXXXXXX XXXXXXXX .**3**

.XXXXX 為 XXX XXXXXXX XXX XXXXXXX XXXXXXX XXXXXXXX XXXXX 20 為 XXXXX XXXX XXX

XXXXXXXXXXXX XXXXXXXX XXXXXXXX XXXXXXXX 為 XXXXXXXXXX XXXX .**4**

XXXXXXXXXXXXXXX XXXXXXX / XXXXXXX XXXXXXX XXX 為 XXXXXXX XXXXXXXX .XXXXXXXX XXXXXXX XXXXXXXXXX XXXXXXX XXXXX XXX  
paulownia XXXXXXX XXXXXXX XXXXXXX XXXX 為 XXXX 為 XXXXXXXXXX XXXXXXXXXX 為 XXXXXXX XXXXX paulownia XXX



