

1. 鋼板厚さ/鋼板間隔
2. 鋼板間隔25mm / 27mm / 35mm / 46mm / 50mm / 63mm
3. 鋼板間隔
4. 鋼板厚さ/鋼板間隔
5. 鋼板間隔3000mm
6. 鋼板24時間連続使用可能
7. 鋼板間隔25mm / 27mm / 35mm / 46mm / 50mm / 63mm
8. 鋼板UV処理
9. 鋼板厚さ/鋼板間隔
10. 鋼板間隔25mm / 27mm
11. 鋼板間隔25mm / 27mm
12. 鋼板PET処理可能

- □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□



2016/08/11





□□&□□

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □



B. PETPET



C. 00000 0000000000000000



□□□□□□□□

A.LCL□□□□□□□□□□□□□□□□	B.□□□□□□
-----------------------	----------



CERTIFICATION



OUR FACTORY



OUR EXHIBITION





ADD : NO.8 Industry Zone Zhuangzhai

1. Not Limited

2. 問題設定と前提条件

3.QC.

4.

00000000000000000000000000/00/ PVC000
00