

1. 產品規格及材料

1. 材料

1. Material 柚木 / Basswood / 柳木
2. 厚度 25mm / 27mm / 35mm / 46mm / 50mm / 63mm
3. 長度 2000mm
4. 寬度 100mm / 150mm
5. 厚度 3000mm
6. 24 小時乾燥
7. 表面處理 噴漆 / 噴油 / 噴粉 / 噴水 / 噴砂 / 噴光 / 噴黑 / 噴白 / 噴紅 / 噴藍 / 噴綠 / 噴黃 / 噴紫 / 噴粉 / 噴水 / 噴砂 / 噴光 / 噴黑 / 噴白 / 噴紅 / 噴藍 / 噴綠 / 噴黃 / 噴紫
8. 表面處理 UV 漆
9. 表面處理 噴漆 / 噴油 / 噴粉 / 噴水 / 噴砂 / 噴光 / 噴黑 / 噴白 / 噴紅 / 噴藍 / 噴綠 / 噴黃 / 噴紫
10. 表面處理 噴漆 / 噴油 / 噴粉 / 噴水 / 噴砂 / 噴光 / 噴黑 / 噴白 / 噴紅 / 噴藍 / 噴綠 / 噴黃 / 噴紫
11. 表面處理 噴漆 / 噴油 / 噴粉 / 噴水 / 噴砂 / 噴光 / 噴黑 / 噴白 / 噴紅 / 噴藍 / 噴綠 / 噴黃 / 噴紫
12. 表面處理 PET 噴漆 / 噴油 / 噴粉 / 噴水 / 噴砂 / 噴光 / 噴黑 / 噴白 / 噴紅 / 噴藍 / 噴綠 / 噴黃 / 噴紫

2. 產品規格及材料 - 柚木 - 柳木 - 柳木







□□□□□&□□

□□□□□□□□□□□□□3□□□□□□□□

A.1 □□□□ □□□□□□□□ 2□□□□□□□□□□□□□□□□□□□□



B.1 PET 2 PET



| 2

A.LCL	B.
-------	----





CERTIFICATION



OUR FACTORY



OUR EXHIBITION



[illegible]