

材料規格

1. Material : PVC
2. 規格 : 63 mm / 76 mm / 89 mm / 114 mm
3. 断面 : L- 断面, Z- 断面, 角 断面
4. 色 : 白 / 黒
5. 断面寸法 : 850mm
6. 断面寸法 L : 3000 mm
7. 仕様 : 4 角 断面 角 断面 断面 断面 断面
8. 断面 : 断面 断面
9. 断面寸法 : Cleavirew 断面寸法 / 断面寸法 / 断面寸法 断面寸法
10. 断面寸法 : 断面寸法, 断面寸法, 断面寸法, 断面寸法
11. 断面寸法 : 断面寸法 断面寸法

規格: [断面寸法 PVC 断面寸法 断面寸法](#), [断面寸法 PVC 断面寸法 断面寸法](#), [断面寸法 断面寸法 断面寸法 断面寸法](#)

材料仕様 : Cut-Assembling-Sanding-Paint-Package







■ & ■■

■■■ ■■■ ■■ ■■■ ■■ ■ ■■■ ■ ■■■ ■■ ■■ :

■■-■■■ ■■ ■■, ■■ ■ ■■■ ■■■ ■■■ ■■ ■■



□.□ □ □□ □□□□ □□ □ □ □□ □□ □□□□.



□□□ □ □□ □□ □□

<p>A.LCL, □□□ □□□□ □□□ □□□□ □□□□ □□□ □□□ □ □□□□□.</p>	<p>B. □□ □ □□</p>
 <p>2014/06/09 09:34</p>	
<p>□□□: 3 □ □□ □□</p>	

□□□ □□□

□□ □□:

HuaSheng □□□□ □□□□ □□□□ □□ □□□ □□□ □□□ □□ □□ □□□ □□□ □□□□□□ □□□ □□ □□□□□□□□.

□□ □□□□ :

□□ □□□ □□□□ □□ □□□□ □□□□ □□ □□ □□□ □□ □□□□ □□□ □□□□□□.

□□□□ □□□□ :

□□□□ □□□□ □□ □□□ □□□ □□ □□ □□□□ □□ □□□ □□□□ □□ □□□ □□□□.



Heze Huasheng Wooden Co., Ltd.



COMPANY PROFILE

Huasheng wooden Co., Ltd was established in 1996 in Zhuangzhai Town Heze City Shandong province China.

In the year of 2014, Heze Enda Plastic Industry co., Ltd have been established as our brother company. In the near future,we will keep working on develop more window covering program.

Now we are mainly supply for Paulownia shutter and blinds in the past. But to meet customer's different needs,We started to supply customer Basswood shutter,PVC shutter,Aluminium shutter and components.



CERTIFICATION



OUR FACTORY



OUR EXHIBITION





PACKING



Heze Huasheng Wooden Co., Ltd.

☎ 86-530-6219566

FAX 86-530-6219565

ADD : NO.8 Industry Zone Zhuangzhai

如何包裝木料?

1. 木料 & 木料.

木料包裝時應注意木料是否乾燥, 木料厚度 7 公分左右最為合適. 木料包裝時應注意木料是否乾燥, 木料厚度 7 公分左右最為合適. 木料包裝時應注意木料是否乾燥, 木料厚度 7 公分左右最為合適. paulownia.

2. 木料 & 木料.

木料 1 公分左右最為合適, 木料包裝時應注意木料是否乾燥, 木料厚度 7 公分左右最為合適.

3.QC.

20 公分左右最為合適, 木料包裝時應注意木料是否乾燥, 木料厚度 7 公分左右最為合適.

4. 木料包裝時應注意木料是否乾燥, 木料厚度 7 公分左右最為合適.

木料包裝時應注意木料是否乾燥, 木料厚度 7 公分左右最為合適. 木料 / Basswood / PVC 木料包裝時應注意木料是否乾燥, 木料厚度 7 公分左右最為合適. 木料包裝時應注意木料是否乾燥, 木料厚度 7 公分左右最為合適. 木料包裝時應注意木料是否乾燥, 木料厚度 7 公分左右最為合適.