


## Bay window shutters,Paulownia wood shutter,shutter supplier



style




分层窗  
Tier on Tier




常规窗  
Full Height



咖啡窗  
Cafe



异形窗  
Shaped



滑道窗  
Track



辐射叶片  
Radiation blade




海湾窗  
Bay window




圆形磁铁固定窗  
Magnet fixation



法式门  
Franch door



芯板窗  
Solid Panel



三角形  
Triangle

## Color Sample

● 款式 1—橄榄形色卡 Style 1 —elliptical



● 款式 2—百叶片色卡 Style 2 —Slats



Sample box style and details

款式 1—皮质箱  
Style 1 —Leather box



款式 2—尼龙包  
Style 2 —Nylon bag



款式 3—PV 箱  
Style 3 —PV box



款式 1—皮质箱  
Style 1—Leather box



款式 2—尼龙包  
Style 2—Nylon bag



款式 3—PV 箱  
Style 3—PV box



Supporting settings





四边展架  
4 side display



使用场景  
Usage scenario



伸缩杆  
4 side display



使用场景  
Usage scenario

	
<p>蜂巢帘 Honeycomb Blinds</p>	<p>使用场景 Usage scenario</p>
	
<p>鸵鸟毛掸子 Ostrich feather duster</p>	<p>使用场景 Usage scenario</p>

## Packaging display

		
外箱效果 Outview	唛头和警告贴 Marks /warning labels	五金盒指示贴 Hardware box instruction labels
		
气柱包装 Air bag packaging	窗扇边框分包 Pannel & Frame Classified pack	包装耗材 Packaging consumables
		
空运蜂窝纸箱展示 Air freight Honeycomb carton	散货木箱展示 LCL-Wooden box	海运集装箱展示 Shipping container view

## Product details

Material: UPVC Foam, Paulownia, Basswood and Aluminium

Louver/Blade Width:2-1/2"(64mm), 3.0"(76mm), 3-1/2"(89mm), 4-1/2"(114mm)

Louver/Blade Thickness:0.4374"(11mm), 0.4598"(12mm)

Tolerance Width: +/-0.6mm,Tickness: +/-0.3mm

Frame : L frame, F frame, Z frame, D frame

Surface Processing: Water base painting for UPVC; Primer coated+color painted for wooden



Color: White, Painted colour, Stain color, Brushed effected color and Cuatomized

Design: Hinged, Bi-fold, Sliding, Fixed, ect

Shutter Profiles : Louvers( reinforced louver), Rail, Stiles( reinforced), Frames, Hole Strip, Tilt rod

Accessories : Shutter pins, Screws, Hinges, Magnets, Hoffman key, End cap, Aluminium tube, ect

Application : Bathroom, Bedroom, Kitchen, Laundry, Cafe, Commecial shop, ect

Package : PE foam+ Foam brick+ Carton

Lead Tiem : 2 weeks for white /painted color and standard shape shutter; 3 weeks for stain color or shapes shutter

Transportation: By sea/ air

Benifits of PVC Shutters :Non-toxic, Lead free, Waterproof, Fire-retandard, Anti-UV, Eco-firendly, Recycalble, Won't wrap, chip or crack, Look like wood