

**Bay window shutters,Paulownia wood shutter,shutter supplier**



**style**



分层窗  
Tier on Tier



常规窗  
Full Hight



咖啡窗  
Cafe



异形窗  
Shaped



滑道窗  
Track




辐射叶片  
Radiation blade




海湾窗  
Bay window




圆形磁铁固定窗  
Magnet fixation



法式门  
Franch door



芯板窗  
Solid Panel



三角形  
Triangle

## Color Sample

● 款式 1—橄榄形色卡 Style 1 —elliptical



● 款式 2—百叶片色卡 Style 2 —Slats



Sample box style and details

款式 1—皮质箱  
Style 1 —Leather box



款式 2—尼龙包  
Style 2 —Nylon bag



款式 3—PV 箱  
Style 3 —PV box



款式 1—皮质箱  
Style 1—Leather box



款式 2—尼龙包  
Style 2—Nylon bag



款式 3—PV 箱  
Style 3—PV box



## Supporting settings





四边展架  
4 side display



使用场景  
Usage scenario



伸缩杆  
4 side display



使用场景  
Usage scenario



蜂巢帘  
Honeycomb Blinds



使用场景  
Usage scenario



鸵鸟毛掸子  
Ostrich feather duster



使用场景  
Usage scenario

## Packaging display

		
<p>外箱效果 Outview</p>	<p>唛头和警告贴 Marks /warning labels</p>	<p>五金盒指示贴 Hardware box instruction labels</p>
		
<p>气柱包装 Air bag packaging</p>	<p>窗扇边框分包 Pannel &amp; Frame Classified pack</p>	<p>包装耗材 Packaging consumables</p>
		
<p>空运蜂窝纸箱展示 Air freight Honeycomb carton</p>	<p>散货木箱展示 LCL-Wooden box</p>	<p>海运集装箱展示 Shipping container view</p>

## Product details

Material: UPVC Foam, Paulownia, Basswood and Aluminium

Louver/Blade Width: 2-1/2"(64mm), 3.0"(76mm), 3-1/2"(89mm), 4-1/2"(114mm)

Louver/Blade Thickness: 0.4374"(11mm), 0.4598"(12mm)

Tolerance Width: +/-0.6mm, Thickness: +/-0.3mm

Frame : L frame, F frame, Z frame, D frame

Surface Processing: Water base painting for UPVC; Primer coated+color painted for wooden



Color: White, Painted colour, Stain color, Brushed effected color and Cuatomized

Design: Hinged, Bi-fold, Sliding, Fixed, ect

Shutter Profiles : Louvers( reinforced louver), Rail, Stiles( reinforced), Frames, Hole Strip, Tilt rod

Accessories : Shutter pins, Screws, Hinges, Magnets, Hoffman key, End cap, Aluminium tube, ect

Application : Bathroom, Bedroom, Kitchen, Laundry, Cafe, Commecial shop, ect

Package : PE foam+ Foam brick+ Carton

Lead Tiem : 2 weeks for white /painted color and standard shape shutter; 3 weeks for stain color or shapess shutter

Transportation: By sea/ air

Benifits of PVC Shutters :Non-toxic, Lead free, Waterproof, Fire-retandard, Anti-UV, Eco-firendly, Recycalble, Won't wrap, chip or crack, Look like wood